# This Page Is Inserted by IFW Operations and is not a part of the Official Record

#### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

### IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.


## UK Patent Application (19) GB (11) 2 151 054 A

(43) Application published 10 Jul 1985


21) Application No 8328039	(51) INT CL <sup>4</sup> A63F 3/06 9/22
(22) Date of filing 20 Oct 1983	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	(52) Domestic classification
	G4H 13D 14A 14B 14D 1A NC3 TE
	A6H 24B
71) Applicant	U1S 1174 A6H G4H
Mecca Leisure Limited (United Kingdom),	
76 Southwark Street, London SE1 OPP	(56) Documents cited
	GB A 2092796 GB A 2042234 WO 8002512
(2) Inventors	
William Neale	(58) Field of search
Barry Anderson	G4H
	G4V
(4) Agent and/or Address for Service	A6H
Marks & Clerk,	
57 & 58 Lincoln's Inn Fields, London WC2	


#### (54) Systems for playing games


(57) A system for playing a game comprises a control unit 3 connected to a plurality of play stations 5 by a bus 18. The play stations 5 are uncommitted programmable apparatuses, such as microprocessors having random access program memory, and a game program is supplied to the stations 5 by the control unit 3 prior to commencement of a game. Thus, the system can be set for any game, or can be arranged to play a different game, merely by supplying the appropriate program from the control unit and storing it in the program RAM in the play stations.




GB 2 151 054 A












FIG. 5.

PCL XL error

Subsystem: IMAGE

Error:

MissingData

Operator:

ReadImage

Position: 3264